



AquaMaster mit AquaScat 2 P

Wie bestellen?



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Photometer Produktvarianten und Sets

	1 pH ORP LF dO2	2 ORP LF dO2	3 pH LF dO2	4 pH ORP dO2	5 pH ORP LF	6 LF dO2	7 ORP LF	8 pH LF	9 dO2	10 LF	11 ORP	12 pH
IO: 0/4..20 mA Modbus TCP	123256	123253	123255	123254	123252	123251	123250	123249	123248	123246	123247	123245
Profibus DP	123268	123265	123267	123266	123264	123263	123262	123261	123260	123258	123259	123257
Profinet IO	123280	123277	123279	123278	123276	123275	123274	123273	123272	123270	123271	123269
Modbus RTU	123292	123289	123291	123290	123288	123287	123286	123285	123284	123282	123283	123281

Abkürzungen: ORP = Redox, LF = Leitfähigkeit, dO2 = gelöster Sauerstoff



119506 119571 119508 119509	119508 119509	119506 119571 119508	119506 119571 119508	119506 119571 119508 119509	+	119508 119509	119506 119571 119509		119509	119508	119506 119571
--------------------------------------	------------------	----------------------------	----------------------------	--------------------------------------	---	------------------	----------------------------	--	--------	--------	------------------



AquaMaster mit AquaScat 2 WTM A

Wie bestellen?



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Photometer Produktvarianten und Sets

	1 pH ORP LF dO2	2 ORP LF dO2	3 pH LF dO2	4 pH ORP dO2	5 pH ORP LF	6 LF dO2	7 ORP LF	8 pH LF	9 dO2	10 LF	11 ORP	12 pH
IO: 0/4..20 mA Modbus TCP	123304	123301	123303	123302	123300	123299	123298	123297	123296	123294	123295	123293
Profibus DP	123316	123313	123315	123314	123312	123311	123310	123309	123308	123306	123307	123305
Profinet IO	123328	123325	123327	123326	123324	123323	123322	123321	123320	123318	123319	123317
Modbus RTU	123340	123337	123339	123338	123336	123335	123334	123333	123332	123330	123331	123329

Abkürzungen: ORP = Redox, LF = Leitfähigkeit, dO2 = gelöster Sauerstoff



119506 119571 119508 119509	119508 119509	119506 119571 119508	119506 119571 119508	119506 119571 119508 119509	+	119508 119509	119506 119571 119509		119509	119508	119506 119571
--------------------------------------	------------------	----------------------------	----------------------------	--------------------------------------	---	------------------	----------------------------	--	--------	--------	------------------



AquaMaster mit SiCon M

Wie bestellen?



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Photometer Produktvarianten und Sets

1	2	3	4	5	6	7	8	9	10	11	12
pH ORP LF dO2	ORP LF dO2	pH LF dO2	pH ORP dO2	pH ORP LF	LF dO2	ORP LF	pH LF	dO2	LF	ORP	pH
123242 123243 123244	123239 123240 123241	123236 123237 123238	123233 123234 123235	123230 123231 123232	123227 123228 123229	123224 123225 123226	123221 123222 123223	123320	123218	123319	123317

IO: 0/4..20 mA
Modbus TCP

+ SAK254 Abkürzungen: ORP = Redox, LF = Leitfähigkeit, dO2 = gelöster Sauerstoff
+ Nitrat



119506 119571 119508 119509	119508 119509	119506 119571 119508	119506 119571 119508	119506 119571 119508 119509	119509	119508 119509	119506 119571 119509		119509	119508	119506 119571
--------------------------------------	------------------	----------------------------	----------------------------	--------------------------------------	--------	------------------	----------------------------	--	--------	--------	------------------